



GARLOCK BEARINGS LTD



130 mm x 230 mm x 40 mm SKF QJ 226 N2MA
Angular Contact Ball Bearings

Bearing No. QJ 226 N2MA

QJ 226 N2MA Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	7.59
EAN	7316577108692
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	35 Degree 4 Point
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	130MM Bore; 230MM Outside Diameter; 40MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 3 ISO P6; No Filling Slot; No Snap Ring



GARLOCK BEARINGS LTD

Other Features	Split Inner Race
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	QJ 226 N2MA
Weight / LBS	16.715
D	9.055 Inch 230 Millimeter
d	5.118 Inch 130 Millimeter
B	1.575 Inch 40 Millimeter
inside diameter:	130 mm
precision rating:	ABEC 1 (ISO Class Normal)
outside diameter:	230 mm
cage material:	Brass
overall width:	40 mm
maximum rpm:	4800 RPM
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
outer ring width:	40 mm
radial dynamic load capacity:	310 kN
fillet radius:	2.5 mm
radial static load capacity:	400 kN
series:	QJ
d	130 mm
D	230 mm
B	40 mm
d ₁	165 mm



GARLOCK BEARINGS LTD

D_1	195 mm
a	126 mm
h	11.7 mm
b	10.5 mm
r_0	2 mm
$r_{1,2}$ min.	3 mm
d_a min.	144 mm
D_a max.	216 mm
r_a max.	2.5 mm
Basic dynamic load rating C	310 kN
Basic static load rating C_0	400 kN
Fatigue load limit P_u	12.7 kN
Limiting speed	4800 r/min
Calculation factor A	0.411
Calculation factor e	0.95
Calculation factor X	0.6
Calculation factor Y_0	0.58
Calculation factor Y_1	0.66
Calculation factor Y_2	1.07
Mass bearing	7.75 kg