



GARLOCK BEARINGS LTD



NTN UC207-107D1 Insert Bearings Spherical OD

Bearing No. UC207-107D1

UC207-107D1 Bearing 2D drawings and 3D CAD models

Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.46
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	1-7/16" Bore; Wide Inner Ring; Ball Bearing; 1.689" Length Thru Bore; 0.787" Outer Race Width; 2.835" Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Set Screw Mount
Inch - Metric	Inch
Other Features	Single Row Light Duty Steel Cage Has Flinger
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00



GARLOCK BEARINGS LTD

Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UC207-107D1/LP03
Weight / LBS	1.01
d	1.438 Inch 36.525 Millimeter
D	2.835 Inch 72.009 Millimeter
D	1.689 Inch 42.901 Millimeter
Outer Race Width	0.787 Inch 19.99 Millimeter
bore diameter:	1.4375 in
fillet radius:	0.0591 in
outside diameter:	2.8346 in
radial dynamic load capacity:	5800 lbf
outer ring width:	0.7874 in
radial static load capacity:	3450 lbf
inner ring width:	1.6890 in
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	4200 RPM
duty type:	Standard Duty
seal type:	Contact
overall width:	1.6890 in
series:	UC2
operating temperature range:	-40 to 250 ° F
manufacturer product page:	Click here



GARLOCK BEARINGS LTD