



GARLOCK BEARINGS LTD



695ZZ Bearing 2D drawings and 3D CAD models

NSK 695ZZ Single Row Ball Bearings

Bearing No. 695ZZ

Category	Single Row Ball Bearings
Inventory	1.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	0.002
EAN	0029176022081
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	5MM Bore; 13MM Outside Diameter; 4MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing



GARLOCK BEARINGS LTD

Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	695ZZ
Weight / LBS	0.002
d	0.197 Inch 5 Millimeter
Outer Race Width	0.157 Inch 4 Millimeter
D	0.512 Inch 13 Millimeter
bore diameter:	5 mm
static load capacity:	430 N, 97 lb
outside diameter:	13 mm
precision rating:	ABEC 1 (ISO Class Normal)
overall width:	4 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
outer ring width:	4 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	0.2 mm
internal clearance:	C0
maximum rpm:	50000 RPM
operating temperature range:	-10 to +110 ° C
series:	69
dynamic load capacity:	1080 N
SRI	1.06
hidYobi	695ZZ
LangID	1
D_	13
SREX	0.02
C	1.08



GARLOCK BEARINGS LTD

B_	4
hidTable	ecat_NSESBM
C0r	44
SRE	1.12
rb	0.2
mass	2.5
GRS rpm	43000
SRIX	0.02
D_b	11.2
Cr	110
SRIN	0
C0	0.43
fo	13.438
SREN	0
DE_	11
Prod_Type3	ESM_MD_ZZ
db	6.6
d	5
DA_	2
Z_	8
yobi	695ZZ
SDM_	9
KBRG	6141
r1	0.2
DI_	7
B1	4